



AUTOMOTIVE PRODUCTS

MS Polymer • PU Adhesive • PU Primer • Fast Adhesive
Contact Cleaner • Gasket Maker • Metal Polish
Masking Tape • Spray Paint • Industrial Wipes
Corrosion Inhibitor, Lubricant and Multi Purpose Protector Spray



Akfix®

Creates
Permanent
Solutions

www.akfix.com • info@akfix.com



MS WINDSHIELD ADHESIVE

Eco-friendly, single component MS polymer based adhesive

Rapid Windshield Replacements
Without Pre-Heating
For All Types of
Vehicles



ECO Friendly



High Adhesive
Strength



Fast Curing



SHORE **A55**

PROPERTIES

- Easy application without pre-heating
- High initial tack; quick drive-away time
- Primerless application
- Eco-friendly, free from isocyanate and solvent
- Very low VOC content and odor
- UV and extreme weather resistance

APPLICATION AREAS

- Ideal for glass replacement in automotive and marine repair, such as windshields, rear glass, side glass and other stationary glass
- Sealing and bonding of sunroof and glass applications for all types of vehicles
- Sealing and bonding of heavy metal materials for container construction
- Suitable for metal, steel, aluminum, glass, copper, zinc and fiberglass





P645 **PU METAL SEALANT** **(AUTOMOTIVE & CONSTRUCTION)**

A superior flexible PU sealant designed for sealing sheet metal seams in automotive industry.

PROPERTIES

- Permanently flexible
- Non-sag consistency - Exceptional thixotropy
- Non-sticky / does not pick up dirt
- No change in volume - No shrinkage
- Improved storage stability
- Easy to gun, can be easily smoothed
- Over-paintable

APPLICATION AREAS

- Body construction of cars, containers, caravans etc.
- Sealing and bonding of ventilation ducts, gutters and spouts etc.
- Sealing of sheet metal seams
- For vibration reduction in all type of sheet metal assembly works
- Sealing against water, air, gas and dust.





PU WINDSHIELD ADHESIVE

Single component moisture curing, high modulus adhesive

Secure Windshield
Replacements
Without Pre-Heating
In Automotive Industry



SHORE **A55**

PROPERTIES

- Good non-sag properties
- Short cut-off string
- High mechanical performance
- High Modulus
- High initial bond strength
- Can be overpainted

APPLICATION AREAS

- It is especially useful in bonding windshield glass into automotive frames





PU WINDSHIELD ADHESIVE PRIMER

Promotes adhesion between glass and PU windshield adhesives for all glass bonding systems



PROPERTIES

- One component formulation
- Cold application
- Protection against UV
- Promotes the adhesion power significantly

APPLICATION AREAS

The surfaces to be treated must be perfectly clean, dry, dust and grease free. Application of Polyurethane Windshield Adhesive Primer can only take place once the thorough cleaning of the bonding area with CLEANER/ACTIVATOR has been completed. Shake bottle well before application (for at least 1 min.) till the noise of the metal balls contained in the bottle can be heard. Apply product using a felt applicator. Close immediately after use as product evaporates very quickly. Ensure that primer is tack-free dry before proceeding.



706 AUTO KIT FAST ADHESIVE

An adhesive set which consists of high viscosity cyanoacrylate adhesive and activator.

Simple and fast solution for automotive industry.



Bonds Within
Second

PROPERTIES

- High bonding strength.
- Suitable for use on vertical surfaces as it will not drip or slump.
- It is particularly suited to bonding difficult substrates which have a porous or uneven nature since it increases bonding strength by preventing the adhesive to be absorbed by the surface.

APPLICATION AREAS

- It is particularly used for fixing and repairing automotive parts. Suitable for MDF, wood, chip wood, rubber, most plastics, leather and other common substrates.
- Especially suitable for the applications where cure speed needs to be accelerated.



A40 MAGIC

Corrosion Inhibitor, Lubricant and Multi Purpose Protector Spray

Multi-function problem solver!

- Cleans and protects
- Polishes all materials
- Loosens sticky mechanism
- Releases rusted part
- Removes moisture
- Stops squeak



Corrosion Inhibitor



Silicone Free



Special Formula

PROPERTIES

- Ultimate penetrating ability.
- Loosens rusted or corroded bolts, nuts, cables and any other fasteners.
- Greases and loosens door and window hinges, locks, and other fittings.
- Decreases frictions and stops squeaks of pedals, chairs,

APPLICATION AREAS

- In all fittings, door and window mechanisms, locks, handles, hinges.
- For annulling humidity on metallic surfaces of bikes, motorbikes, small motor vehicles,
- Electronic contacts and other home tools such as drills, jigsaws, etc.
- For loosening and activating rusted and jammed mechanisms.



E60

ELECTRICAL CONTACT CLEANER

A product designed for cleaning grease, dirt, oil etc. from electric-electronic equipment.

Let your electronic devices work more effective.



Non Corrosive



Non Conductive

PROPERTIES

- Fast cleaning action for removal of flux traces, light oils, finger prints and other contaminants.
- Non-conductive and non-corrosive.
- Evaporates completely, leaving no residue.
- Safe for all metal surfaces, most rubbers, plastics and coatings.
- Convenient to use 360° (upside-down).

APPLICATION AREAS

- Digital Equipment.
- Electronic Ignitions.
- Computers and calculators.
- Switches and Relays.
- Plugs and sockets.



HT 300 GASKET MAKER RTV SILICONE

Single component elastic silicone sealant

Heat Resistant
100% Silicone Sealant
For High Temperature
Automotive Applications



Excellent
Heat Resistance



%100 Silicone



PROPERTIES

- Excellent heat resistance after curing up to 250°C permanently and up to 300°C temporarily.
- 100% silicone,
- Remains flexible at low (-40°C) and high (+250°C) temperatures,
- Resists to mechanical enforcement after curing,
- Acetoxy cure, RTV silicone,
- Will not crack, shrink or become brittle,
- One component.

APPLICATION AREAS

- Sealing and bonding applications in automotives,
- On heating systems and ovens for sealing / tightness,
- Sealing and bonding in stoves,
- Gaskets in pumps and motors,
- Sealing chimneys,
- Other bonding and sealing applications where parts must perform at high temperatures.



R70

TYRE CLEANER & POLISH FOAM

Specially developed for cleaning, treating and protecting tyres as well as enhancing their appearance in one process.

Enhances the appearance of weathered tires by restoring the rubber surface



Non Corrosive



Easy to Use

PROPERTIES

- Easy to use.
- Does not contain flammable solvents.
- Non-acid formula.
- Self-acting foam removes residues and dirt.
- Makes tires look like new.
- Cleans and cares.

APPLICATION AREAS

Akfix Tyre Cleaner & Polish Foam is suitable to use on all kind of vehicle tires like bicycles, motorcycles, automobiles, minibuses, buses, trucks, lorries etc.



R72 RAIN REPELLENT SPRAY

A product designed for increasing rainy weather driving comfort with repelling rain from vehicle glasses.



Water Based



Easy to Use

PROPERTIES

- Thanks to the product's special composition, vehicle glasses become brighter and smoother.
- Also provides a comfortable ride with repelling rain drops from side and rear glasses on vehicle.
- Water repelling property prevents corrosive components in the rain water to effect to the application surface.
- Makes easy to clean any kind of dirt from surfaces.
- Product's water repellency property can be seen easily after 40 km/h with vehicle.
- Decreases the windshield wiper use up to %90.

APPLICATION AREAS

- Glass (plexy glass, glass block etc.) and glazed facades,
- Shower cabins,
- Factory, workplace, house, mall etc. glasses,
- Solar panels,
- All vehicle glasses (automobile, train, bus, truck, ship etc.),
- Motorcycle helmet visors,
- Phone booths, bus stations, billboards,
- Greenhouse glasses,
- Bath tubs and sinks,
- Traffic lights, traffic signs,
- Roof tops glass panels.



R110 BRAKE AND CLUTCH CLEANER

Powerful cleaning fluid is used to remove oil, grease, dirt and dust from brakes and clutches, aiding in the elimination of brake squeal and clutch slip caused by glazing and contamination.


Brake cleaner helps brakes last longer and perform better.



Non Corrosive



Powerful Cleaning



Excellent Penetration

PROPERTIES

- Effectively removes brake fluid, grease, oil and hardened deposits.
- Eliminates dust from brake and clutch parts.
- Reduces disc-brake squeal and clutch chatter.
- Can be applied without disassembly, saving time and reducing maintenance costs.
- Evaporates quickly.
- Leaves no residue.
- Excellent penetration
- Stable, non-staining and non-corrosive to metals.
- Aerosol is equipped with a 360° (upside-down) spray valve and extension tube for added convenience.

APPLICATION AREAS

Perfect for cleaning and degreasing:

- Brake linings
- Cylinders
- Disc brake pads
- Wedge brakes
- Calipers
- Drums
- Brake shoes
- Discs
- Springs
- Clutch discs



R60 TYRE REPAIR KIT

Eliminates the need for an immediate tyre change, sealing and inflating your tyre within seconds.



Water Based

PROPERTIES

- No need for lifting- jack or any other tools.
- Finds the hole in the tyre and seals it
- Water based.
- Can be cleaned easily with the water after application
- Does not harm the tyre valve
- Instantly repairs punctured tyres, without removing the wheel
- Inflates the tyre (up to a pressure of 1,2 to 2,5 bar), so that one can immediately continue to drive at a moderate speed.
- Harmless to tyres and wheels.

APPLICATION AREAS

- For cars, motorcycles, caravans and trailers.
- For tubeless tyres or tyres with inner tubes.



C12 METAL POLISH

It can polish every kind of gold, silver, copper, chrome, brass, bronze, aluminum, platinum and can make a protective film on the surface.

Perfect solution
for metal tarnishing.



Anti Tarnishing

PROPERTIES

- Excellent penetrating capability
- Diminish friction
- Remove water and protects against moisture.
- Protects metal parts and surfaces from corrosion.

APPLICATION AREAS

- It is well used for cleaning and polishing auto parts,
- Kitchenware,
- Tiles
- Fiberglass.




BUMPER SPRAY PAINT

A spray paint with excellent coverage and adhesion to repair and embellish plastic bumpers, maintaining the original bumper structure.

Scratched and weathered bumpers are a thing of the past.



Quick Drying



Good Coverage

PROPERTIES

- Long-lasting shine and colour
- Keeps the bumper's original structure
- Scratch and shockproof
- Easy to use
- Fast drying time (The drying time depends on surrounding temperature, air humidity and thickness of the applied coat.)
- Excellent coverage
- Excellent adhesion
- Suitable for many other synthetic materials

APPLICATION AREAS

- It can be used to repair and improve plastic bumpers while still maintaining the original structure suitable for decorative indoor uses.
- Gives synthetic surfaces a silky shine.



MASKING TAPE **NATURAL RUBBER GLUE** **AND SEMI - CREEP PAPER**

Akfix quality that resists to Heat and water by up to 80°C.

It is used in auto repair and construction industry, cable wrapping, package isolation, marking and general paint masking.



PRODUCT NAME

TYPE

BOX / PCS

Masking Tape Natural Rubber Glue and Semi - Creep Paper 60°

18 mm x 35 m

96

Masking Tape Natural Rubber Glue and Semi - Creep Paper 60°

24 mm x 35 m

72

Masking Tape Natural Rubber Glue and Semi - Creep Paper 60°

36 mm x 35 m

48

Masking Tape Natural Rubber Glue and Semi - Creep Paper 60°

48 mm x 35 m

36

Masking Tape Natural Rubber Glue and Semi - Creep Paper 80°

18 mm x 35 m

96

Masking Tape Natural Rubber Glue and Semi - Creep Paper 80°

24 mm x 35 m

72

Masking Tape Natural Rubber Glue and Semi - Creep Paper 80°

30 mm x 35 m

48

Masking Tape Natural Rubber Glue and Semi - Creep Paper 80°

48 mm x 35 m

36



INDUSTRIAL WIPES

Industrial grade hand cleaning wipes that are capable of removing residues like oil, grease, paint, ink and adhesive.

Hands are clean in one application, all without the use of water.



One package has
20PCS

Cylinder Plastic package
80PCS

PROPERTIES

- Non-hazardous to user or environment.
- High absorbency – contamination stays on wipe.
- Textured material assists cleaning power.
- Optimum dose of cleaner applied to the wipe.
- Excellent cleaning power – even on tough contaminants.
- Convenient, simple and safe to use.
- Contains Aloe Vera for moisturizing your skin for protection.
- Leaves no residue.

APPLICATION AREAS

- Hand cleaning.
- Removing difficult contaminants, such as adhesive, gasket residue, bitumen, silicone, ink, oil, grease, lubricants, paint



Akfix

We are just clicks away from you...

You may access to several information and news about Akfix 7/24 with our updated mobile application

User-friendly and elegant interface


You may access to most up-to-date information in demand through simple and fast-paced structure.

Designed exclusively for you

Organized in accordance with your demands and expectations, consisting of generating favourite products, catalogues, videos and documents such as TDS.

AVAILABLE ON THE
GOOGLE PLAY & APP STORE





twitter.com/AkfixSealants



youtube.com/user/AkfixSealants



instagram.com/AkfixSealants



vimeo.com/AkfixSealants

www.akfix.com



pinterest.com/Akfixsealants



plus.google.com/+AkfixSealantsAdhesives



facebook.com/AkfixSealantsAdhesives



linkedin.com/in/AkfixSealants

info@akfix.com